


GALVANIZED HARDWARE CLOTH

Galvanized Hardware Cloth is used for many industrial and commercial screening applications and is one of the most economical means of resisting rust and corrosion.

Applications include screens for vents, louvers, spark arrestors, finger guards, baskets, racks, trays, cages, dehydrators and miscellaneous sheet metal fabrications.


Looking for Something Heavier???
Please Call Us for Current Inventory




MESH	ASWG GAUGE	WIDTH INCHES	APPROX. WT. PER ROLL
2 x 2	19	18	38
	.041"	24	50
1/2" x 1/2"		30	63
		36	75
		48	100
		60	125
		72	150
4 x 4	23	24	49
	.025"	30	61
1/4" x 1/4"		36	73
		48	98
5 x 5	24	36	60
	.023"	48	80
7 x 7	27	48	55
	.017"		
8 x 8	27	24	41
	.017"	30	51
1/8" x 1/8"		36	61
		48	82

26 WELDED WIRE MESH (GALVANIZED BEFORE OR AFTER & PVC)


Resistance welded at every cross section or wire creating square or slotted openings, welded wire mesh is rigid and strong. Typical applications for welded wire mesh include security screens, filtration support screens, safety guards, animal cages, food processing, incubators and construction re-enforcement screens.




1/2" x 1"



1" x 1"



1" x 2"



2" x 4"

GALVANIZED BEFORE WELDED				
100' ROLLS				
SPACING LINE x STAY	GAUGE	WIDTH	LBS./ROLL	
1/2" x 1"	16	24"	76	
		36"	114	
		48"	152	
1" x 1"	16	24"	52	
		36"	75	
		48"	100	
		14	24"	84
1" x 2"	14	18"	43	
		36"	93	
		48"	124	
		60"	155	
		72"	186	
2" x 2"	14	36"	39	
		48"	52	
		60"	54	
		12.5	24"	48
			36"	72
4" x 2"	12.5	24"	48	
		36"	72	
		48"	96	
		60"	120	
		72"	144	

STAINLESS STEEL TYPE 304 WELDED			
100' ROLLS			
SPACING LINE x STAY	GAUGE	WIDTH	LBS./ROLL
1/4" x 1/4"	22	36"	60
		48"	80
		21	36"
		48"	104
	18	48"	233
1/3" x 1/3"	18	36"	128
		48"	171
1/2" x 1/2"	18	36"	84
		48"	112
	16	36"	153
		* 48"	204
1/2" x 1"	16	48"	152
1/2" x 2"	16	48"	120
1" x 1"	25	36"	16
		16	48"
	14	36"	123
		* 48"	164
		60"	205
2" x 2"	12	60"	156

* Available in SS 316 also

GALVANIZED AFTER WELDED				
100' ROLLS				
SPACING LINE x STAY	GAUGE	WIDTH	LBS./ROLL	
1/2" x 1"	16	24"	86	
		36"	128	
		48"	170	
1/2" x 1/2"	16	36"	171	
		48"	228	
		60"	285	
1" x 1"	14	24"	84	
		36"	138	
		48"	183	
		12.5	36"	205
			48"	273
		72"	410	
1" x 2"	14	24"	70	
		36"	103	
1" x 3"	10	48"	361	
		60"	386	
		72"	458	
1/2" x 3"	12	* 36"	225	
		* 48"	300	

* Available in 50' rolls only

BLACK PVC COATED / WELDED			
100' ROLLS			
SPACING LINE x STAY	GAUGE	WIDTH	LBS./ROLL
1/2" x 1/2"	19	36"	78
		48"	110
		16	36"
		48"	278
1/2" x 1"	16	24"	100
		36"	151
		48"	200
		72"	300
1" x 1"	16	36"	84
		48"	110
	14	48"	220
		60"	274
		72"	330
1" x 2"	14	36"	79
		48"	99
		60"	129
2" x 2"	14	36"	186
		48"	79
		60"	99
		129	
2" x 4"	12	36"	131
		48"	173
		60"	214
		72"	259
2" x 4"	12	24"	67
		36"	99
		48"	131
		60"	163
		72"	195

AVIARY NETTING (GALVANIZED AFTER WEAVING) 100 Foot Rolls		
MESH/GAUGE	WIDTH	WT. PER ROLL
1/2" – 22 GA	24"	24#
	36"	36#
	48"	48#
	72"	72#

STAINLESS STEEL HEX NETTING (ALSO MONEL)		
MESH	WIRE	ROLL SIZE
1"	22 GA (.028)	48" x 150'
1"	20 GA (.035)	48" x 150'
2"	18 GA (.047)	48" x 150'

POULTRY NETTING (GALVANIZED BEFORE WEAVING) 150 Foot Rolls		
MESH/GAUGE	WIDTH	WT. PER ROLL
1" – 20 GA	12"	16#
	24"	32#
	* 36"	46#
	* 48"	62#
	* 60"	77#
	* 72"	92#
	2" – 20 GA	12"
24"		16#
36"		23#
48"		31#
60"		38#
72"	46#	

* Also available black PVC coated

COPPER ROOT BARRIER SCREEN
Repairing sidewalks and other pavements damaged by tree roots is a major cost. Studies have shown that by digging a trench along the sidewalk edge nearest a tree and installing a 16 mesh .011" wire diameter Copper Wire Mesh, roots which regenerate get blocked. This material is always in stock at our Hayward, California facility.

WELDED WIRE MESH PANELS				
MATERIAL	SHEET SIZE	MESH SIZE	GAUGE	WEIGHT
Plain Steel	48" x 120"	1" Centers	.192"	96#
	48" x 120"	1" Centers	.2437"	165#
	60" x 120"	2" Centers	.128"	25#
	48" x 120"	2" Centers	.192"	49#
	48" x 120"	2" Centers	.2437"	49#
	48" x 120"	2" Opening	.2437"	72#
	48" x 120"	3" Centers	.2437"	54#
	48" x 144"	3" Centers	.2437"	65#
	48" x 144"	4" Centers	.2437"	48#
	48" x 144"	4" Centers	.2437"	60#
Galvanized After	60" x 120"	2" Centers	.128"	29#
	60" x 192"	2 x 4 Centers	.192"	82#
Stainless Steel	48" x 120"	1" Centers	.120"	38#
	48" x 120"	2" Centers	.148"	25#

INSECT SCREEN 100 Foot Rolls				
MESH	WIRE/THREAD		WIDTH	WT. PER SQ.FT.
Aluminum	18 x 16	.011	24" - 72"	.05 #
Fiberglass	18 x 16	.011	24" - 72"	.035#
Solar Screen	54 x 18	.011	24" - 72"	.055#
Galvanized	18 x 14	.009	36" & 48"	.09#
Bright Bronze	18 x 14	.011	36" & 48"	.146#
Copper	16 x 16	.011	36" & 48"	.146#
Plain Steel	18 x 14	.009	36" & 48"	.09#
Stainless Steel	18 x 14	.009	36" & 48"	.09#

FIREPLACE SCREEN
8 mesh .020" Black painted steel, available in stock width of 36" and 48". Also available in other widths in Mill run quantities. Has wide use as a speaker grill for decorative purposes as well.



Residential Composter made of 12 gauge wire, galvanized and PVC coated.